



中国认可
检测
TESTING
CNAS L0599

检测报告

ASH20-070538-01

发布日期: 2020年12月08日

客户名称: 丽水市城市建设投资有限责任公司
客户地址: 323000 丽水市莲都区中山街北126号丽水日报大楼1413室

样品名称: 水样1 (龙泉)
生产商: /
样品批号: /
生产日期: /

以上样品及信息由客户提供及确认, SGS不承担证实客户提供信息的准确性、适当性和(或)完整性责任。

SGS相关号: AFL20200355NB/2020011029-1a/QDF20-047322
样品接收日期: 2020年11月13日
检测周期: 2020年11月13日 - 2020年12月08日
检测要求: 根据客户要求检测
检测方法: 请参见下一页
检测结果: 请参见下一页

除非另有说明, 本检测结果仅与被检测物品有关。未经检验机构书面同意, 委托人不得擅自使用检测结果进行不当宣传。



扫码查看在线报告



ASH20-070538-01

SGS授权签字人

通标标准技术服务(上海)有限公司

第1页,共5页

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No.889, Yishan Road, Shanghai, China 200233 t 400-691-0488 f (86-21) 6140 2547 www.sgsgroup.com.cn

中国·上海·宜山路889号3号楼 邮编:200233 t 400-691-0488 f (86-21) 6140 2547 e sgs.china@sgs.com



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Testing Center Agency and PEAS Laboratory

检测样品描述:

样品编号	SGS样品ID	描述
1	ASH20-070538.001	桶装水+无菌袋装水

微生物检测

检测结果:

检测项目	单位	检测方法	检测结果 001	n	c	m	M	单项说明
大肠菌群	MPN/100 mL	GB 8538-2016	<2	5	0	0	-	符合
大肠菌群	MPN/100 mL	GB 8538-2016	<2					
大肠菌群	MPN/100 mL	GB 8538-2016	<2					
大肠菌群	MPN/100 mL	GB 8538-2016	<2					
大肠菌群	MPN/100 mL	GB 8538-2016	<2					
粪链球菌	CFU/250 mL	GB 8538-2016	<1	5	0	0	-	符合
粪链球菌	CFU/250 mL	GB 8538-2016	<1					
粪链球菌	CFU/250 mL	GB 8538-2016	<1					
粪链球菌	CFU/250 mL	GB 8538-2016	<1					
粪链球菌	CFU/250 mL	GB 8538-2016	<1					
铜绿假单胞菌	CFU/250 mL	GB 8538-2016	<1	5	0	0	-	符合
铜绿假单胞菌	CFU/250 mL	GB 8538-2016	<1					
铜绿假单胞菌	CFU/250 mL	GB 8538-2016	<1					
铜绿假单胞菌	CFU/250 mL	GB 8538-2016	<1					
铜绿假单胞菌	CFU/250 mL	GB 8538-2016	<1					

通标标准技术服务(上海)有限公司

第2页,共5页



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Service (Shanghai) Co., Ltd.
Testing Center Agency and Reference Laboratory

3rd Building, No.889, Yishan Road, Shanghai, China 200233 t 400-691-0488 f (86-21) 6140 2547 www.sgsgroup.com.cn
中国·上海·宜山路889号3号楼 邮编:200233 t 400-691-0488 f (86-21) 6140 2547 e sgs.china@sgs.com

检测报告

ASH20-070538-01

发布日期: 2020年12月08日

检测项目	单位	检测方法	检测结果 001	n	c	m	M	单项说明
产气荚膜梭菌	CFU/50 mL	GB 8538-2016	<1	5	0	0	-	符合
产气荚膜梭菌	CFU/50 mL	GB 8538-2016	<1					
产气荚膜梭菌	CFU/50 mL	GB 8538-2016	<1					
产气荚膜梭菌	CFU/50 mL	GB 8538-2016	<1					
产气荚膜梭菌	CFU/50 mL	GB 8538-2016	<1					

备注：
n:同一批次产品应采集的样品件数；
c:最大可允许超出m值的样品数；
m:微生物指标可接受水平的限量值；
M:微生物指标的最高安全限量值。

理化检测

检测结果：

检测项目	单位	检测方法	检测结果 001	定量限	限值	单项说明
色度(铂钴色度单位)	°	GB 8538-2016	<5	-	①	符合
臭和味(滋味、气味)	-	GB 8538-2016	无异味, 无异嗅	-	②	符合
肉眼可见物(状态)	-	GB 8538-2016	无正常视力可见 外来异物	-	③	符合
浑浊度	NTU	GB 8538-2016	<0.5	0.5	≤1	符合
锰(Mn)	mg/L	GB 8538-2016	ND	0.05	< 0.4	符合
锌(Zn)	mg/L	GB 8538-2016	ND	0.02	-	-
锂(Li)	mg/L	GB 8538-2016	ND	0.05	-	-
铁(Fe)	µg/L	GB 8538-2016	ND	20	-	-
溴酸盐	mg/L	GB 8538-2016	ND	0.005	< 0.01	符合
氟化物(以F ⁻ 计)	mg/L	GB 8538-2016	0.061	0.005	< 1.5	符合
硝酸盐(以NO ₃ ⁻ 计)	mg/L	GB 8538-2016	4.76	0.02	≤ 45	符合
钠离子(Na ⁺)	mg/L	GB 8538-2016	7.42	0.05	-	-
钾离子(K ⁺)	mg/L	GB 8538-2016	1.35	0.05	-	-
硫酸盐(以SO ₄ ²⁻ 计)	mg/L	GB 8538-2016	1.71	0.03	-	-
氯化物(以Cl ⁻ 计)	mg/L	GB 8538-2016	4.286	0.005	-	-
硼酸盐(以B计)	mg/L	GB 8538-2016	ND	0.1	< 5	符合

通标标准技术服务(上海)有限公司

第3页,共5页

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No.889, Yishan Road, Shanghai, China 200233 t 400-691-0488 f (86-21) 6140 2547 www.sgsgroup.com.cn

中国·上海·宜山路889号3号楼 邮编:200233 t 400-691-0488 f (86-21) 6140 2547 e sgs.china@sgs.com



检测报告

ASH20-070538-01

发布日期: 2020年12月08日

检测项目	单位	检测方法	检测结果 001	定量限	限值	单项说明
耗氧量(以O ₂ 计)	mg/L	GB 8538-2016	0.33	0.05	< 2.0	符合
挥发酚类(以苯酚计)	mg/L	GB 8538-2016	ND	0.002	< 0.002	符合
氰化物(以CN ⁻ 计)	mg/L	GB 8538-2016	ND	0.002	< 0.010	符合
矿物油	mg/L	GB 8538-2016	ND	0.005	< 0.05	符合
阴离子合成洗涤剂	mg/L	GB 8538-2016	ND	0.025	< 0.3	符合
偏硅酸	mg/L	GB 8538-2016	38.3	0.1	④	符合
游离二氧化碳	mg/L	GB 8538-2016	20.0	-	-	-
溶解性总固体(180°C)	mg/L	GB 8538-2016	101	-	-	-
锑(Sb)	mg/L	GB 8538-2016	ND	0.001	< 0.005	符合
铜(Cu)	mg/L	GB 8538-2016	ND	0.001	< 1.0	符合
钡(Ba)	mg/L	GB 8538-2016	0.032	0.005	< 0.7	符合
铬(Cr)	mg/L	GB 8538-2016	ND	0.001	< 0.05	符合
镍(Ni)	mg/L	GB 8538-2016	ND	0.02	< 0.02	符合
银(Ag)	mg/L	GB 8538-2016	ND	0.05	< 0.05	符合
锶(Sr)	mg/L	GB 8538-2016	ND	0.1	-	-
硒(Se)	mg/L	GB 8538-2016	ND	0.005	< 0.05	符合
铝(Al)	μg/L	GB 8538-2016	ND	40	-	-
钒(V)	μg/L	GB 8538-2016	ND	5	-	-
钴(Co)	μg/L	GB 8538-2016	ND	3	-	-
硒(Se)	mg/L	GB 8538-2016	ND	0.005	-	-
总β放射性(Bq/L)	Bq/L	GB 8538-2016	0.05	0.01	< 1.5	符合
亚硝酸盐(以NO ₂ ⁻ 计)	mg/L	GB 8538-2016	ND	0.0033	≤ 0.1	符合
锡(Sn)	mg/kg	GB 5009.16-2014 第一法	ND	2.5	150	符合
铅(Pb)	mg/L	GB 5009.12-2017 第二法	ND	0.005	0.01	符合
镉(Cd)	mg/L	GB 5009.15-2014	ND	0.003	0.003	符合
总汞(Hg)	mg/L	GB 5009.17-2014 第一篇 第一法	ND	0.001	0.001	符合
总砷(As)	mg/L	GB 5009.11-2014 第一篇 第 一法	ND	0.010	0.01	符合
镁离子(Mg ²⁺)	mg/L	GB/T 5750.6-2006	3.04	0.03	-	-
钙离子(Ca ²⁺)	mg/L	GB/T 5750.6-2006	7.80	0.04	-	-
碳酸盐(以CO ₃ ²⁻ 计)	mg/L	GB 8538-2016	<3.0	-	-	-
碳酸氢盐(以HCO ₃ ⁻ 计)	mg/L	GB 8538-2016	63	-	-	-
碘化物	mg/L	GB 8538-2016	ND	0.05	-	-
总碱度(以CaCO ₃ 计)	mg/L	GB 8538-2016	51.90	2.5	-	-
总酸度(以CaCO ₃ 计)	mg/L	GB 8538-2016	12.60	10	-	-
总硬度(以CaCO ₃ 计)	mg/L	GB 8538-2016	38.3	-	-	-
pH	-	GB 8538-2016	6.55	-	-	-
*硫化物	mg/L	GB 8538-2016	<1.0	1	-	-

通标标准技术服务(上海)有限公司

第4页,共5页



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No.889, Yishan Road, Shanghai, China 200233 t 400-691-0488 f (86-21) 6140 2547 www.sgsgroup.com.cn
 中国·上海·宜山路889号3号楼 邮编:200233 t 400-691-0488 f (86-21) 6140 2547 e sgs.china@sgs.com

检测报告

ASH20-070538-01

发布日期: 2020年12月08日

检测项目	单位	检测方法	检测结果 001	定量限	限值	单项说明
*磷酸盐	mg/L	GB 8538-2016	<10	0.1	-	-
** ²²⁶ Ra放射性	Bq/L	GB 8538-2016	0.011	0.01	1.1	符合

备注： ①:≤ 10(不得呈现其他异色)
 ②:具有矿泉水特征性口味, 无异味、无异嗅
 ③:允许有极少量的天然矿物盐沉淀,无正常视力可见外来异物
 ④:≥ 25.0(含量在25.0mg/L~30.0mg/L时, 水源水水温应在25℃以上)
 按照GB8537-2018 饮用天然矿泉水的要求, 锂, 锶, 锌, 偏硅酸, 硒, 游离二氧化碳和溶解性固体这7项界限指标应有一项(或一项以上)符合界限指标的限值要求。

备注:
 1.ND = 未检出
 2.限值: 按照GB 8537-2018
 3.*标注项目由通标标准技术服务(青岛)有限公司实验室(CNAS编号:L0604, CMA编号: 2015150662V)执行, 不在本实验室的CNAS/CMA认可/认定范围内
 4.**标注项目由广东省测试分析研究所(中国广州分析测试中心)(CNAS编号L1360, CMA编号180000300714)执行, 不在本实验室的CNAS/CMA认可/认定范围内

*** 结束 ***



通标标准技术服务(上海)有限公司

第5页,共5页

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No.889, Yishan Road, Shanghai, China 200233 t 400-691-0488 f (86-21) 6140 2547 www.sgsgroup.com.cn

中国·上海·宜山路889号3号楼 邮编:200233 t 400-691-0488 f (86-21) 6140 2547 e sgs.china@sgs.com

